

ASTROVISION ADD-ON is called "ZGRASS-32 COMPUTER KEYBOARD", and was shown at the Consumer Electronic Show at Las Vegas a month ago. The box, layout of parts, etc., is essentially the same as the one shown by Bally and illustrated on p. 29 of Vol 1. The shown sample was all black, and had an arcade unit resting on its upper surface. What's inside? The follwing data is taken from a publicity sheet handed out: 32K more RAM, 24K more ROM, the keyboard, and the ZGRASS language. Cost?-\$599. Delivery?-well..I heard 'manufacturing in June' twice, so we'll see. More details...

Language used is Dr. DeFanti's ZGRASS, a graphics-oriented BASIC. A description of the language and its unique commands are contained in Vol 1, pages 11 - 14, and 37. The ZGRASS is contained in the 24K ROM, along with a 'scientific math system'. It gives four colors anywhere on the screen, which is configured at 160x100 pixels. The prime direction for ZGRASS is for the development of graphically exciting programs, whether they be games, video art, pie charts, or whatever. The beginnings were included in the basic arcade unit, with the commands LINE and BOX. New commands will be POINT and CIRCLE. Arrays will be multi-dimensional. There will be interpreted and compiled modes. The extended math package is floating point with trig & log (e and 10) functions, and square root.

PLANNED EXPANSIONS to the keyboard unit include:

32K more RAM

TV PRINTER - hard copy of what is on the TV screen (a scan is made of the screen and a print made of it.)

LIGHT PEN

BIT PAD DIGITIZER - a worksheet is electrically attached to the computer and a wand is touched to the pad. A dot appears on the screen at the same relative point. Drawings can be transcribed to the screen(=computer) and the coordinates of all the points are now in memory

DUAL CASSETTE CONTROL at 1800 baud, motor of cassette is computer-controlled.

DISC STORAGE - a connector is included.

SLIDE COPIER

SOUND SYSTEM - connection to audio amplifier input

More details on the above as they are discovered. One of the reasons for the CES was contact with dealers/distributors, to show the line, and sign up as their plan dictates. Quite a bit has to be regenerated from the old Bally days, as well as expansion beyond those levels to get nation-wide coverage. Regardless, if you are not able to find one in your area (after June, etc.) let me know and we'll handle it by mail order.

NEW GAME VIDEOCADES: Here is the lineup of the first batch - which are now scheduled for March 2011 GALACTIC INVASION / 2012 SPACE FORTRESS / 2014 GRAND PRIX-DEMOLITION DERBY / 4003 MUSIC MAKER 1 / 4004 BIORYTHM

USER GROUP REPORT The CACHE group indicate that they now have a file of 50 programs in their software library. A reference library of printed material (hardware-oriented) is also being set up for the group. It was reported that REX TV has opened a new Bally service center at 18666 S. Dixie Highway, Homewood, IL 779-7800

LISTED PROGRAMS have a number of small letters in them, because my COMPRINT does not have some characters. Therefore, you have to make a little conversion, as follows: a = right arrow > b = multiply \* c = divide +

@ 1981 Robert Fabris



AN EXCELLENT TUTORIAL on Machine Language programming - getting some of the basics down - was printed in the November Kilobaud MICROCOMPUTING, p.70. I'd say it was a medium-level description that tought me quite a lot and will be used as a reference in later operations. It explains some of the descriptive codes used (like 8B CA etc). While the article specifically deals with the 6802 processor, the ideas as well as some specifics also fit the Z80.

BLUE RAM OPERATING SYSTEM (1.0) arrived the other day, and it has two very useful features: 1. It allows EDITING of line statements, using a new RPL command (RePLace). You can either fix a line by adding, deleting, or changing something in the line, or you can change the line number from one value to another. People send in programs on tape, and sometimes the transfer to the Bally is not correct (usually a long line) and making the correction is a pain. But now I've used the 1.0 system, and I can easily make the necessary change. Especially since I've loaded the keyboard routine as well. All one needs to do is enter RPL (line number)/(old word)/(new word) RETURN or GO, 2. It allows the storage of 3800 Bally BASIC bytes in the Blue Ram. ((NOT machine language, but good ol'BB)) This opens up the world to those of you who aren't too keen on machine language, because all you have to do is follow a few simple rules, and keep writing programs in BB. In essence, there is a divider built in, all program lines below 1999 go into the old Basic storage areas, while material in line numbers above 1999 go into the BR. One can shift back and forth between the two areas. So now there are 5600 bytes available - lets see some programs that take advantage of that space.

ALTERNATIVE ENGINEERING is proceeding with the design and construction of the motherboard memory addition. They report that a small rearrangement has taken place, in that some previous options are now included in the basic package, resulting in about a month's delay. The prime package will include a power supply capable of handling all accessories, p.c. board and connectors, some onboard intelligence to control things, plus some other goodies. The two prime accessories will be the memory package and the keyboard package. Other units are also under consideration. Full details are due in the announcement which I plan to have in the next issue.

EXTENDED BASIC language is moving along smartly - current plans are to provide both tape and ROM versions so you can choose the format that suits you best. A little preview of the new commands follows:

CIRCLE / POINT / NEW (erases program) / DATA (provides initialization of variables in a shorter manner) / ZERO (sets all variables to zero)
In addition to the usual FC and BC, two more foreground colors are available in FA and FB.

There are commands available for storing and retreiving programs, or just bits of programs.

Two windows can be generated on the screen, and their size limits controlled, for both graphics and characters.

How about a 3x5 character set available at CF=SMALL ?

And it will automatically convert to a hex number base with the ! character. SCROLL will roll the screen up or down a specified number of lines.

In front of a variable will give its memory location.

That ought to whet your appetite - we'll have more information as it becomes available, including delivery and cost, in subsequent issues.



The following tutorial was written by Bob Wiseman, and details some of his programming 'tricks', explaining why.

#### PART I. HOW TO KEEP IT SMALL.

WHEN YOU PROGRAM THE ARCADE, YOU HAVE A GRAND TOTAL OF 1.8K OF USER MEMORY AVAILABLE FOR PROGRAM AND STRING DATA. THIS IS SELDOM ENOUGH. WHENEVER I PROGRAM THE ARCADE, I WRITE THE PROGRAM ON PAPER FIRST. THIS ALLOWS ME TO CALCULATE MEMORY REQUIREMENTS EARLY SO THAT I CAN HEAD 'EM OFF AT THE PASS. I STRUCTURE THE PROGRAM INTO MODULES WHENEVER POSSIBLE. I WRITE EACH MODULE ON A SEPARATE SHEET SO THAT I CAN REWRITE A SINGLE MODULE WITHOUT AFFECTING ANYTHING ELSE. HAVING A PENCIL COPY OF A PROGRAM IS AN INVALUABLE AID WHEN SEARCHING FOR THAT ELUSIVE BUG.

SO, I WRITE THE PROGRAM ON PAPER, AND THEN I ADDUP THE MEMORY NEEDED. I HAVE 1800 BYTES TO START WITH.

#### COUNT THE FOLLOWING:

- 3 BYTES PER LINE FOR STORAGE FOR THE LINE NUMBER AND CARRAGE RETURN.
- 1 BYTE PER KEYWORD. THE WORDS PRINT, LIST, GOTO, LINE, FOR, TO, NEXT, STEP, GOSUB, RETURN, BOX, INPUT IF, AND RND ALL TAKE ONE BYTE.
- 1 BYTE PER PUNCTUATION. THESE SPECIAL CHARACTERS TAKE ONE BYTE: COMMA, PERIOD, QUOTE, EXCLAMATION, PARANTHESIS, EQUALS, POUND SIGN, ETC..
- 1 BYTE PER ALPHABETIC LETTER. EACH LETTER, WHETHER USED AS A VARIABLE OR USED IN QUOTES, COUNTS 1 BYTE. ITEMS LIKE CX, BC, AND NT HAVE TWO LETTERS AND SO THEY COUNT TWO BYTES.

  SPACE COUNTS ONE BYTE.
- 1 BYTE FOR EACH NUMBERIC SYMBOL NOT BEGINNING A LINE.

## HERE ARE SOME EXAMPLES:

10 GOTO 10 (COUNTS 6 BYTES)
20 PRINT "ABC (COUNTS 8 BYTES)
300 IF A=RND (3)GOTO 400 (COUNTS 14 BYTES)

IN ADDITION TO THE MEMORY USED IN YOUR PROGRAM, YOU MAY
NEED TO PROVIDE SPACE FOR STRINGS OF DATA. I AM REFERRING TO
THE USE OF THE AT-SIGN TABLE TO STORE DATA. EACH TAKES TWO BYTES.
SO IF YOU USE (0), (1),..., (9), THEN YOUR PROGRAM MUST
LEAVE TWENTY BYTES FREE.

THE FOLLOWING SHORT PROGRAM:

10 FOR A=0T09:@(A)=0:NEXTA

WILL TAKE 19 BYTES TO STORE, AND AN ADDITIONAL TWENTY BYTES WHEN IT IS RUN FOR STORAGE OF THE DATA.



NOW THAT WE KNOW WHERE THE MEMORY GOES, WE SHOULD BE ABLE TO USE IT MORE EFFICIENTLY. THESE GENERAL RULES MAY HELP.

- 1) COMBINING SHORT LINES TOGETHER HELPS REDUCE THE THREE BYTES PER LINE OVERHEAD.
- 2) ELIMINATE UNNECESSARY SPACES. THE ONLY TIME THAT A SPACE IS REQUIRED BY BALLY BASIC IS TO SEPARATE TWO VARIABLES. FOR EXAMBLE:

10 IF A=CGOTO 10 (NO SPACES REQUIRED)

20 IF B=D E=F (SPACE REQUIRED TO SEPARATE D AND E)

3) USE VARIABLES TO REPLACE OFTEN USED, LONG NUMERIC VALUES.
THIS CAN BE ESPECIALLY VALUABLE FOR LINE NUMBERS.
EACH TIME YOU USE THE NUMERIC VALUE 3210 (FOR EXAMPLE), YOUR PROGRAM IS FOUR BYTES LARGER. IF YOU SAY "T=3210" THAT COSTS SIX BYTES. IF YOU NEED TO REFER TO 3210 MORE THAN TWICE (AND YOU HAVE AN AVAILABLE VARIABLE OF COURSE) YOU CAN SAVE MEMORY.

EXAMPLE:

10 IF A=3210B=B+1 5 T=3210 20 IF B=3210C=C+1 10 IFA=TB=B+1 30 IF C=3210G0T010 20 IFB=TC=C+1 30 IF C=TG0T010

THE PROGRAM ON THE LEFT TAKES 15+15+13= 43 BYTES. THE ONE ONE THE RIGHT TAKES 9+12+12+10= 43 BYTES. THE ONE ON THE RIGHT RUNS FASTER. IF WE HAD PUT "T=3210" ON LINE 10, THEN THE RIGHTHAND PROGRAM WOULD BE SMALLER ALSO.

4) OMIT TRAILING QUOTATION MARKS. LINE TEN AND TWENTY WILL PRINT THE SAME THING. EXAMPLE:

10 PRINT "ABCDEF"

20 PRINT "ABCDEF

5) DO NOT BE AFRAID TO RE-WRITE. FIRST, YOU WRITE WHAT WORKS. NEXT, YOU WRITE WHAT WORKS BETTER. FINALLY, YOU WRITE IT SMALLER.

EXAMPLE: SUPPOSE WE HAVE REACHED A POINT IN THE PROGRAM WHERE WE HAVE A ZERO OR A ONE IN VARIABLE "A". IF ONE, WE WANT TO CHANGE "A" TO A ZERO. IF ZERO, WE WANT TO CHANGE "A" TO A ONE. SO WE FIRST WRITE THE OBVIOUS:

100 IF A=0A=1:GOT0120

110 A=0

120 ... CONTINUE

THIS WORKS AND IT TAKES 15+6= 21 BYTES. FURTHER HEADSCRATCHING AND THE MEMORY BULB LIGHTS UP:

100 A=1-A

THIS TAKES A MERE 8 BYTES AND DOES THE SAME THING.

I HAVE OFTEN DISCOVERED THAT FINDING A SIMPLE ALGEBRAIC FORMULA WILL SAVE MANY BYTES. THE DIFFICULT PART IS FINDING THE FORMULA.



6) USE SUBROUTINES WHENEVER POSSIBLE. ANYTHING THAT YOUR PROGRAM DOES MORE THAN ONCE SHOULD BE IN A SUBROUTINE. WHEN YOU BREAK UP A PROGRAM INTO SUBROUTINES IT BECOMES EASIER TO DEBUG BECAUSE THE SUBROUTINES CAN BE TESTED INDEPENDENT OF THE REST OF THE PROGRAM. DRAWING A SHORT FLOWCHART (HORRORS!) BEFORE BEGINNING CODING IN BASIC WILL HELP ORGANIZE YOUR THOUGHTS ABOUT WHAT SHOULD BE A SUBROUTINE. SUBROUTINES HELP AVOID REDUNDANT CODE, AND THIS KEEPS IT SMALL.

## PART II. MAKING IT RUN FASTER.

THE BEST TIME TO MAKE A PROGRAM RUN FASTER IS BEFORE YOU HAVE WRITTEN IT. AFTERWARDS, THE CHANGES MAY BE TOO DIFFICULT TO MAKE AND DEBUG (SORT OF LIKE ADDING AN EXTRA BATHROOM ON THE SECOND FLOOR AFTER THE HOUSE HAS BEEN BUILT). THE GENERAL RULE I HAVE FOLLOWED IS:

(OTHER THINGS BEING EQUAL) THE FEWER BYTES BALLY BASIC HAS TO INTERPRET THE FASTER THE PROGRAM RUNS.

THIS EQUATES TO PART I. IN GENERAL, THE SHORTER A PROGRAM, THE FASTER IT RUNS. I HAVE RUN A FEW SHORT TIMINGS AND THEY SEEM TO FOLLOW THIS RULE. REMEMBER OUR EXAMPLE WHERE WE REPLACED THE VALUE 3210 WITH THE VARIABLE "T". THE EXAMPLE ON THE RIGHT RUNS FASTER BECAUSE BASIC HAS FEWER BYTES TO INTERPRET.

HERE IS AN EXPERIMENT FOR YOU TO PERFORM. WRITE THE BASE PROGRAM AS FOLLOWS:

10 FOR A=0 TO 3000 90 NEXT A

RUN THIS AND TIME ITS EXECUTION WITH A WATCH. RECORD THIS TIME. NOW TRY INSERTING DIFFERENT LINES INTO THE CENTER AND SEE HOW THIS AFFECTS THE TOTAL RUN TIME. I FOUND THIS TO BE QUITE INTERESTING. IF NO GRAPHICS ARE INVOLVED, I FOUND THAT THE EXTRA EXECUTION TIME WAS ALMOST DIRECTLY PROPORTIONAL TO THE EXTRA NUMBER OF BYTES INTERPRETED. USE EACH OF THE FOLLOWING AND SEE HOW THEIR TIMES COMPARE.

20 B=A (6 BYTES) 20 B=12345+1 (12 BYTES)

I FIND THAT BOX AND LINE REQUIRE MORE TIME PER INTERPRETED BYTE THAN NON-GRAPHIC COMMANDS.

IF YOU CANNOT MAKE IT RUN FAST, YOU MIGHT AS WELL MAKE IT ENTERTAINING. TRY TYING SOME OF YOUR VARIABLES TO THE SOUND SYSTEM INPUTS. A MUSICAL DIVERSION WILL LET THE OPERATOR KNOW THAT THE PROGRAM IS STILL WORKING, AND HASN'T DROPPED DEAD OR FOUND A LOOP.

4 . GOLF 5 . BY BOB HENSEL 100 FOR Z=1TO N:@(Z)=0; NEXT Z:B=0; FOR H=1TO 9; GOSUB 3600 102 FOR P=1TO N;U=0;J=0 104 IF P=1G=13+RND (50); I=15+RND (15); T=13+RND (50); R=13+RND (50); S=13+RND (50) 105 CLEAR ; GOSUB 1000; Y=-16; GOSUB 1100; T=T+18; GOSUB 1100; T=T-18; Y=0; GOSUB 1200 106 Y=10; GOSUB 1300; E=40; F=-41; BOX E, F, 1, 1, 1 142 LINE 3, -43,4; LINE 3,43,1; LINE 79,43,1; LINE 79,-43,1; LINE 3,-43,1 144 PRINT "A HOLE +", +1, H; PRINT " PAR ", +1, Ic5, " ", +1, Ib20, "YD 146 W=RND (4); M=(RND (6)-1)b5; PRINT " WIND: ",; TV=93+W; PRINT #3, M, "MPH", 147 CY=8; CX=-71; PRINT "PLAYER SCORE", Bob Hensel 148 CX=-56; CY=0; PRINT #1, P, #7, U 8428 Ingleside Ave., S. 150 A=A+JX(1); IF A>16A=1 Cottage Grove, MN 55016 151 IF A<1A=16 152 X=2; Y=2; GOSUB 800+A 153 LINE -40, -20,4; BOX -40, -20,60,30,2; BOX -40, -20,2,2,1; LINE Xb7-40, Yb7-20,1 155 C=C+JY(1); IF C>9C+1 156 IF C<1C=9 170 CX=-71; CY=-40; PRINT "CLUB: ", #1, C,; IF C=1PRINT " WOOD",; GOTO 180 172 PRINT " IRON", Golf is a game of skill for 1 to 4 180 IF TR(1)=0GOTO 150 players. The computer generates 9 dif-200 U=U+1;NT=10;MU=C;NT=0 ferent holes each game, randomly placing each green and hazards such as trees, 202 IF J=1G0T0 3100 water, or sand traps. Each player selects 205 FOR Z=1TO 2b(10-C) the direction the ball will travel by 210 IF Z#11GOTO 219 moving JX(1) until the rotating line 212 D=0: IF M>5D=1 points in the proper direction. The dis-214 IF W=1Y=Y+D tance is dependent on the club selected 216 IF W=2X=X-D using JY(1). Remember the flight of the ball is affected by the direction and 217 IF W=3Y=Y-D 218 IF W=4X=X+D 219 E=E+X;F=F+Y; BOX E,F,1,1,3 velocity of the wind. 220 IF E>3IF E<79IF F<43IF F>-43J=0:G0T0 240 230 GOTO 4000 240 IF E>G-9IF E<G+8IF F>I-8IF F<I+8J=1 250 IF J=0IF PX(E,F)=0G0T0 4000

290 NEXT Z

:B=B+Ic5

291 IF J=1G0T0 3000

295 GOTO 148

801 Y=0; RETURN

802 Y=1; RETURN

803 RETURN

804 X=1; RETURN

805 X=0; RETURN

806 X=-1; RETURN

807 X=-2; RETURN

808 X=-2; Y=1; RETURN

809 X=-2; Y=0; RETURN

810 X=-2; Y=-1; RETURN

811 X=-2; Y=-2; RETURN

812 X=-1; Y=-2; RETURN


813 X=0; Y=-2; RETURN

B14 X=1; Y=-2; RETURN


B15 Y=-2; RETURN

816 Y=-1; RETURN

1000 BOX G.I.4.12,1;BOX G,I,10,10,1;BOX G,I,14,8,1;BOX G,I,16,4,1;RETURN 1100 BOX T,Y,2,10,1;BOX T,Y+2,4,2,1;BOX T,Y,6,2,1;BOX T,Y-2,8,2,1;RETURN



P4/



## GOLF (continued)

```
1200 BOX R, Y, 2, 18, 1; BOX R, Y, 6, 14, 1; BOX R, Y, 10, 10, 1; BOX R, Y, 14, 6, 1; BOX R, Y, 18, 2, 1
: RETURN
1300 BOX S.Y.12,5,1; RETURN
3000 BOX 41,0,78,87,2;BOX 41,0,16,48,1;BOX 41,0,40,40,1;BOX 41,0,56,32,1;BOX 41,
0,72,16,1
3010 K=20+RND (36); L=RND (16)-8; BOX K, L, 3, 3, 2; E=41+(E-G)b4; F=(F-I)b4; BOX E, F, 1, 1
,3;BOX 41,0,79,84,3
3015 IF ABS(E-K)(2IF ABS(F-L)(2G0T0 3500
3017 GOTO 148
3100 FOR Z=1TO 2b(10-C)
3110 E=E+X;F=F+Y;B0X E,F,1,1,3
3120 IF ABS(E-K)(2IF ABS(F-L)(2G0T0 3500
3130 IF E>3IF E<79IF F<43IF F>-43G0T0 3140
3135 GOTO 4000
3140 NEXT Z; GOTO 148
3500 CY=0; CX=30; PRINT "SUNK!"; @(P)=@(P)+U
3510 GOSUB 3610; NEXT P; NEXT H
3600 CLEAR ;PRINT " PAR=", #1, B;FOR Z=1TO N;PRINT " PLAYER", #2, Z, "=", #1,@(Z), #4,@
(Z)-B; NEXT Z
3610 FOR 0=1TO 1000; NEXT 0; RETURN
4000 CY=-20; CX=-59; PRINT "PENALTY"; NT=40; MU=60; MU=60; MU=60; NT=0; U=U+1; GOSUB 3610
:GOTO 148
```

```
3
  5 .MUSICAL STAFF
                                     800 I=0; IF P=Pc2b2I=1
  6 . BY BOB WISEMAN
                                     810 V=Y-(20-P)b5c2+16
 10 GOSUB 950
                                     815 BOX X, V, 5, 4, 1
 20 N=N+1
                                     818 IF (P(5)+(P)15)GOSUB 900
 30 GOSUB 300; IF WGOTO 50
                                     825 IF T>12BOX X, U, 3, 1, 2; IF I=0BOX X, U-1, 3, 1, 2
 40 GOSUB 200; GOTO 201
                                     830 IF T=32RETURN
 50 GOSUB 400:X=X-9
                                     835 H=5-I
 60 C=JX(1)+2bJY(1)
                                     845 IF P>11H=-H-2+I
 70 IF C=0GOTO 60
                                     847 K=26ABS(H)-1
 80 IF C=-2GOTO 10
                                     850 BOX X+2, H+V, 1, K, 1
 90 FOR M=0TO N-1;P=@(M)c50;T=RM
                                     855 IF TYBRETURN
100 GOSUB 700; NEXT M
                                     856 IF HKØK=2-K
110 IF C=2IF TR(1)=0G0T0 120
115 GOTO 30
                                            MUSICAL STAFF writes notes in the
120 FOR M=0TO 100: NEXT M: GOTO 85
                                            key of C, using controller #1.
200 @(N)=50bP+T; RETURN
                                            JY command changes the note, while
300 X=X+9; IF X>70X=-70; Y=15-Y; GOSUB 500
                                            JX command changes the length.
310 GOSUB 800; GOSUB 700
                                            TR enters the note. Controller #2
320 IF TR(1)+TR(2)W=TR(2); RETURN
                                            plays the tune once, repeatedly,
330 V=JX(1); W=JY(1)
                                            or starts over.
340 IF V=0IF W=0U=0; GOTO 320
350 IF U=1GOTO 320
360 U=1;P=P+W:IF (P>19)+(P<0)P=P-W
365 IF V=0GOTO 385
370 IF V(0T=Tc2
380 IF V>0T=T+T
385 IF T>32T=32
                                      858 IF T>3IF P>11G0T0 870
387 IF TK2T=2
                                      860 BOX X+3,K+V,3,1,1
390 GOSUB 400; GOTO 310
                                      865 IF T>3RETURN
400 BOX X+1, Y+7, 10, 12, 2
                                     870 BOX X+3,K+U-2,3,1,1;RETURN
405 BOX X+1, Y-27, 10, 14, 2
                                      900 IF P>15BOX X,Y+5,8,1,1
410 FOR V=Y-17TO Y-2STEP 5
                                      905 IF P>17BOX X,Y+10,8,1,1
415 BOX X+2, U, 10, 4, 2; NEXT U
                                      910 IF P<5B0X X,Y-25,8,1,1
420 RETURN
                                      915 IF P<3BOX X,Y-30,8,1,1
500 BOX 0, Y-10, 160, 44, 2
                                      920 RETURN
                                                   Bob Wiseman
505 FOR V=Y-20TO YSTEP 5
                                                  118 St. Andrews Dr.
510 BOX 0, V, 160, 1, 1; NEXT U
                                                  Cincinnati OH 45245
515 RETURN
700 &(16)=49; &(17)=@(B-P); &(22)=127
710 FOR A=0TO 20bT; NEXT A
715 & (22) = 0
790 RETURN
950 : RETURN ; NT=0; CLEAR
951 M-SZc2; N-M; A=1000; B-90; GOSUB A; B-80; GOSUB A
952 B=71;GOSUB A;B=67;GOSUB A;B=60;GOSUB A;B=53;GOSUB A;B=50;GOSUB A
953 B=44; GOSUB A; B=39; GOSUB A; B=35; GOSUB A; B=33; GOSUB A; B=29; GOSUB A; B=26; GOSUB
954 B=24; GOSUB A; B=22; GOSUB A; B=19; GOSUB A; B=17; GOSUB A; B=16; GOSUB A; B=14; GOSUB
960 P=4: T=8: N=-1
961 B=M
```

965 X=70; Y=-10; RETURN 1000 N=N-1:@(N)=B: RETURN



A selection of short programs from the programming efforts of Dieter Heinerman, 505 4th Ave.S.W. #1511 Calgary.Alberta.Canada T2P 0.18

```
Dieter Heinerman, 505 4th Ave.S.W. #1511 Calgary, Alberta, Canada T2P 0J8
  3 . 3D CORNERS
  4 . BY DIETER HEINERMAN 3 .
 9 NT=0 4 DENOMINATOR
5 BY DIETER HEINERMAN
 10 CLEAR
                            6 CLEAR
 11 FC=7 10 B398 0 8591 10 WG
                            7 BC=56
 16 FOR A=1TO 44STEP 1
 17 IF TR(1)=1GOTO 50 8 NT=1
18 IF TR(2)=1CLEAR 9 PRINT ; PRINT
19 BC=7bB 10 INPUT ", N
                              9 PRINT ; PRINT " INPUT DENOMINATOR
 19 BC=7bB
                            20 FOR T=1TO N-1
20 BOX A,-A,A,A,3
25 BOX -A,A,A,A,3
30 BOX A,A,A,A,3
                          30 X=0
                           40 PRINT
34 BOX -A,-A,A,A,3
35 &(22)=255;&(18)=A
36 NEXT A
37 B=RND (255)
36 NEXT A
37 B=RND (255)
39 FC=B
40 GOTO 16
50 FOR A=44TO 1STEP -2
70 GOTO 20
80 A=Ab10
90 PRINT $1,(AcN),
100 X=X+1
110 IF X>=N-1GOTO 190
120 A=A-(AcN)bN
130 GOTO 70
                            140 A=Ab10
2 . 150 PRINT #1,0,

3 . ELECTRONIC BLANKED 160 X=X+1

4 . BY DIETER HEINERMAN 170 IF X>=N-160T0 190
                                                          2 .
          18Ø GOTO 7Ø
19Ø NEXT T
 5 NT=0
 9 CLEAR
                            200 IF &(23)=1GOTO 1
 10 A=RND (6)
                                                          5 NT=10
                             210 GOTO 200
 11 FOR E=1TO 5
                                                           6 CLEAR
                                                         7 BC=127
 12 .TRY NT=A
 13 &(22)=255
                                                          10 &(22)=255
 15 IF E=5G0T0 90
                                                          20 FOR C=1TO 100STEP 1
20 FOR B=-70TO 70STEP A
                                                         30 FC=BbA
25 &(17)=B; &(18)=BbA
                                                          40 A=RND (140)-70
                                                          50 B=RND (80)-40
30 C=RND (6)
35 IF TR(1)=1G0T0 9
                                                          55 MU=A
 40 FOR D=-40TO 40STEP C
                                                          56 &(18)=B
 41 MU=BC
                                                          57 &(20)=C
 42 BC=B+200
                                                          60 BOX A, B, 5, 5, 3
43 FC=BC-53bC 4
45 &(16)=DbC
                                                          61 BOX -A, B, 5, 5, 3
                                                          62 BOX A, -B, 5, 5, 3
46 &(20)=A+CbD
                                                          65 BOX -A, -B, 5, 5, 3
50 BOX B, D, A, A+C, 3
                                                          70 IF C>99GOTO 90
60 NEXT D
                                                          80 NEXT C
70 NEXT B
                                                          90 FOR E=1TO 10STEP 1
75 NEXT E
                                                          95 MU=E
                                                         100 IF E=10CLEAR
80 GOTO 10
90 PRINT " WANT MORE? PRESS 1"
                                                         110 IF TR(1)=1G0T0 10
100 IF &(23)=8GOTO 9
                                                        120 NEXT E
110 GOTO 100
                                                         130 GOTO 90
```

49

ADS:WANTED: Used Bally interface in good working condition - cheap.
R. Ruppert 2722 Pyramid Ave., Pittsburgh PA 15227

FOR SALE: Software by W&W Software Sales, 6594 Swartout Rd. Algonac MI 48001. Nine tapes with five programs each, plus a new one for the Blue Ram (This one is available on tape only, \$5., and called 'Bally Nuclear Power Plant') See ad on p. 10 for more details...

FOR SALE: Cartidges because UPS lost my Arcade: BASIC, INTERFACE at \$35 each; BASEBALL/FOOTBALL/SEA WOLF/CLOWNS/MATH BINGO/280ZZZAP/STAR BATTLE/RED BARON/BLACKJACK at \$15.each. Check or money order plus \$1. to Randy Rienth, Rt 1 Box 73H, Gloucester, VA 23061

FOR SALE: Software by Rob Rosenhouse, 44 Forestbrook Dr., North Plainfield, NJ 07060. Super Software now offers 6 sets of programs including a new one based on Missile Command by Atari. For catalogue including 2 RND(ART) programs, send a large SSAE

USER GROUPS: If you are in the following areas, contact the persons listed:

Metropolitan Washington, DC-Jerry Heere, 2802 Avon Ave Silver Spring 19608
Westchester Co.areaNY-Dan Simpson Box 229 Somers, NY 10589
914-248-7058

FOR SALE: Bally factory games and accessories - special discount to ARCADIAN subscribers. For free price list, write to SFP, 1064 N. Alta Ave. Dinuba, CA 93618



HOT FLASH! LATEST
ASTRO VISION PRICE LIST
SHOWS AUGUST DATE FOR
ADD-ON.

= 50 =

# ARCADIAN

Robert Fabris, yellow ribboned The SOURCE TCD 959 3626 Morrie Dr. San Jose, CA 95127

